

PART NUMBER	DESCRIPTION	EQUIVALENT	EQUIVALENT	EQUIVALENT	EQUIVALENT
98A57103013000	AIRBUS TAP TEST TOOL . CORROSION RESISTANT STEEL-TEMPERED (LN-1.1044; MIL-S-18732
98S51005000-200	ATR 72 TAP TEST TOOL FIGURE 1 ATR NTM 51-30-00 PAGE 304. MATERIAL: 7075-T6 ALUMINUM.
AIR CURTAIN 1.0	MISTRAS AIR CURTAIN SQUIRTER FIXTURE. MATERIAL: ACETAL(DELRIN). 1.0" DIAMETER.
AFNDT-2113/2024	10 PIECE SHIM THICKNESS SET. SHIM SIZE: 0.787" x 0.787". THICKNESSES: .020", .032", .040", .050", .063", .070", .080", .090", .100", .125". Material: 2024-T3 Aluminum. Includes Test Report and Certificate of Conformance.
AFNDT-2113/7075	10 PIECE SHIM THICKNESS SET. SHIM SIZE: 0.787" x 0.787". THICKNESSES: .020", .032", .040", .050", .063", .070", .080", .090", .100", .125". Material: 7075-T6 Aluminum. Includes Test Report and Certificate of Conformance.
AIR CURTAIN 1.125	MISTRAS AIR CURTAIN SQUIRTER FIXTURE. MATERIAL: ACETAL(DELRIN). 1.125" DIAMETER.
AF-MT-KS-3C2-234	Model 3C2-234 QQI - Variable depth flaws 20%/30%/40% of Shim thickness .002" thick, Pack of 5
AF-MT-KS-3C4-234	Model 3C4-234 QQI - Variable depth flaws 20%/30%/40% of Shim thickness, .004" thick, Pack of 5
AFNDT-MX3502	Meets AS-5282 and ASTM E1444 requirements. 12 Pre-drilled holes simulate subsurface discontinuities verifies magnetic particle system performance when actual test parts with discontinuities are not available Forms surface indications at various angles
MIN7	Plastic Foil Set - consists of 7 sheets of foil, 100µm - 300µm in thickness (0.003937 - 0.01181) and a size of 30 mm x 50 mm (1.18 in x 1.97 in)	MIN7	.	.	.
EC SHIM SET	9 PIECE EDDY CURRENT SHIM THICKNESS SET. COLOR COATED THICKNESS RANGE FROM .0005"-.010	9513K42	.	.	.
OW486-1306-DEV-GUIDE	BOEING CUSTOM ACETAL GUIDE TOOL
OW486-1306-DEV-ROD	BOEING CUSTOM ACETAL ROD TOOL
OW486-1306-DEV-SPACER	CUSTOM BOEING ACETAL SPACER TOOL
PROBE GUIDE S41-G1A	BOEING PROBE GUIDE. MATERIAL: POLYETHYLENE or EQUIVALENT.
PROBE GUIDE S41-G1B	BOEING PROBE GUIDE. MATERIAL: POLYETHYLENE or EQUIVALENT.
PROBE GUIDE S43-G1A,G1B, G1C	BOEING PROBE GUIDE. MATERIAL: POLYETHYLENE or EQUIVALENT.
UltraSoniX Couplant	4 Oz Bottle (118 ml) UltraSoniX couplant. Conforms to ASTM F519
ST8842-1	BOEING TAP TEST TOOL FOR COMPOSITES.
TEFLON TAPE/ 2.0	PTFE TEFLON TAPE ROLL, 2.0" WIDE, .003"(1MIL) THICK.
TEFLON TAPE/.250	PTFE TEFLON TAPE ROLL .250" WIDE, .002"-.003" THICK
TEFLON TAPE/.500	PTFE TEFLON TAPE ROLL .500" WIDE, .002"-.003" THICK
TEFLON TAPE/1.0	PTFE TEFLON TAPE ROLL 1.0" WIDE, .003"(1MIL) THICK
UltrageII 25-004	4 Oz Bottle Sonotech UltrageII Ultrasonic Couplant MFG Part Number 25-004. Includes Certificate of Conformance. XD740 Alternative Product	25-912	.	.	.
0.072 PROBE FIXTURE	BOEING PROBE FIXTURE .073" Ø HOLE FOR .072" Ø PENCIL PROBE. MATERIAL: DELRIN
99A55209001000	Airbus Tap Test Tool A318-A321 PT 5 51-10-03 & A330 Figure 51-10-03-991-003-A. Material 2024 Aluminum. Includes Certificate of Conformance.
AF-5072-EXT	EXTENSION HANDLE FOR AF-5072 6.0" LONG TRIAX FISCHER CONN TO 4 PIN FISCHER MALE (CABLE MOUNT)	TEK-3013-EXT	NEC3129-EXT	.	.
AW-028/45	MSWS Style Replacable Lucite Wedge 45°	W-028 45°	.	.	.
A72S-BNC	ADAPTOR - 7 PIN LEMO TO BNC HOCKING Phasec 2S/3S

September 5, 2019

PART NUMBER	DESCRIPTION	EQUIVALENT	EQUIVALENT	EQUIVALENT	EQUIVALENT
AB1	ADAPTOR - TRIANGLE, 8 PIN
ABN-CF6	ADAPTOR - BNC TO COAX FISHER
ABR-7L-B	ADAPTER FEMALE BURNDY 8 PIN TO MALE 7 PIN LEMO, FOR LOCATOR 2S INSTRUMENT. BRIDGE/DIFFERENTIAL
AMIZ21-N16-B	ADAPTOR- MIZ21 MALE 4 PIN FISCHER TO 16 PIN RECEPTICLE. BRIDGE/ DIFFERENTIAL Includes Test Report and Certificate of Conformance
ABR-N16-B	ADAPTER FEMALE BURNDY 8 PIN TO MALE 16 PIN NORTEC 500D, BRIDGE/DIFFERENTIAL
AC2BNC-TF6	ADAPTOR - BNC TO TRIAX FISCHER
ACL1-FBNC6	LEMO L1- FEMALE BNC ADAPTOR	UT-KY-A-L1-B	.	.	.
ACN16-BNC/50-500KHZ	ADAPTOR - 16 PIN TO FEMALE BNC 50-500KHZ ..WITH BAL COIL.
ACP2D-N16-6-R	ADAPTER- 12-PIN LEMO TO LEMO 16 PIN, 6" REFL
AES-RA	ADAPTER STANDARD ELOTTEST ROTARY TO RECHII RA PROBE END	SA-ESR	.	.	.
AFX-3	RIGID (STAINLESS STEEL) EXTENDED PROBE ADAPTOR, STRAIGHT, 3.0" LONG.
AL00-BNC	ADAPTOR PIGTAIL 6.0 INCH- 00 LEMO MALE TO FEMALE BNC. Includes Certificate of Conformance.
AL00-L1/PIG	ADAPTOR - MALE L00 TO REC L1 PIGTAIL 4 INCH
AN16-4MIZ-B	ADAPTOR -16PIN FOR NORTEC 500/600 BRIDGE TO MIZ10 / MIZ20 (4-PIN AMPHENOL CONNECTOR)	9522189	.	.	.
AN16-BNC/2MHZ	ADAPTOR - 16PIN LEMO (MALE) TO BNC(FEMALE) 1-3MHZ Adaptor
AN16-BNC/50-500K	ADAPTOR - 16PIN LEMO (MALE) TO BNC(FEMALE) 50-500KHZ Adaptor, SW Barrel Mil. Includes Certificate of Conformance.	U8767037,9522209	.	.	.
AN16-BR-B	ADAPTER 16 PIN FEMALE(NORTEC)TO BURNDY 8 PIN MALE (NDT 18,19 INSTRUMENT) BRIDGE
AN16-L1-B	ADAPTOR - BRIDGE L1 TO 16PIN FOR NORTEC 200D
AN16-L1-R	ADAPTOR - REFLECTION L1 TO 16PIN FOR NORTEC 200D
AN16-L7-B	ADAPTOR - BRIDGE 7PIN TO 16PIN FOR NORTEC 200D
AN16-L7-R	ADAPTOR - REFLECTION 7PIN TO 16PIN FOR NORTEC 200D
AN16-MIZ21	ADAPTOR- 16 PIN LEMO TO 4 PIN FISCHER / RECEPTICLE MIZ21. BRIDGE/ DIFFERENTIAL
AN16-MZ21-B	ADAPTOR - BRIDGE MIZ21 TO 16PIN FOR NORTEC 200D
AN16-MZ21-R	ADAPTOR - REFLECTION MIZ21 TO 16PIN FOR NORTEC 200D
AN16-P2D-B	ADAPTOR - BRIDGE 16 PIN PLUG (NORTEC 500/600 INSTRUMENT) TO 12 PIN LEMO RECEPTACLE (GE/HOCKING INSTRUMENT)	N16C-P2D-B	.	.	.
AN16-P2D-R	Adaptor 16 Pin, reflection coil configuration probes with 12 Pin LEMO connector to Nortec 500/ 1000 or 2000 instrument (16 Pin LEMO)Model: L16-L12-R & ARN16-H22	9522211	.	.	.
AP2D-4AMP	ADAPTER 12 PIN LEMO MALE TO 4 PIN FEMALE AMPHENOL DIFF/BRIDGE
AP2D-6JAG	ADAPTOR- 12 PIN LEMO TO 6 PIN FEMALE JAEGER DIFFERENTIAL FOR HOCKING INSTRUMENTS.
AP2D-BNC	ADAPTOR - 12 PIN LEMO PLUG TO FEMALE BNC. Includes Certificate of Conformance.	40A002	AH22-BN	40A002	.

September 5, 2019

PART NUMBER	DESCRIPTION	EQUIVALENT	EQUIVALENT	EQUIVALENT	EQUIVALENT
AP2D-BR-B	ADAPTER - 12 PIN MALE LEMO TO FEMALE BURNDY. DIFFERENTIAL / BRIDGE. Includes Certificate of Conformance.	BRC-P2D-B	.	.	.
AP2D-DC	ADAPTER, LOCATOR TO DEFECTOMETER PROBE 2MHZ	29A010	.	.	.
AP2D-N16-R	ADAPTOR - 12 PIN MALE PLUG TO 16 PIN FEMALE RECEPTACLE, REFLECTION. Includes Certificate of Conformance.
ATF-BNC	ADAPTOR - MALE TRIAX FISCHER TO TO FEMALE BNC.
AU-RA	ADAPTOR FOR UNIVERSAL SCANNER (4 PIN FISCHER) TO RA RECHII PROBE (4 PIN STEP LEMO CONNECTOR)	UR-SA	.	.	.
AUR-UR	ADAPTOR: MALE 4 PIN FISCHER TO FEMALE 4 PIN FISCHER...	RAEM-RA	.	.	.
AUR-URFX-10	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN FISCHER TO RECEPTACLE (FEMALE) 10.0" WORKING LENGTH
AUR-URFX-12	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN FISCHER TO RECEPTACLE (FEMALE) 12.0" WORKING LENGTH
AUR-URFX-20	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN FISCHER TO RECEPTACLE (FEMALE) 20.0" WORKING LENGTH
AUR-URFX-4	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN FISCHER TO RECEPTACLE (FEMALE) 4.0" WORKING LENGTH	A-77.02.1	.	.	.
AUR-URFX-6	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN FISCHER TO RECEPTACLE (FEMALE) 6.0" WORKING LENGTH
AZ21C-BNC	ADAPTOR - MALE 18 PIN LEMO TO PANEL MOUNT FEMALE BNC. MIZ21-C INSTRUMENT. Includes Certificate of Conformance.
RA-RA-4	ROTARY (RA SCANNER) ADAPTOR EXTENSION: MALE 4 PIN STEP LEMO TO FEMALE 4 PIN STEP LEMO . 4 INCHES LONG. Includes Certificate of Conformance.
RA-UR	ADAPTER FOR UNIVERSAL PROBE (4 PIN FISCHER) TO RECHII RA SCANNER, (4PIN STEP LEMO)	SA-UR	.	.	.
RA-UR/12FX	FLEXIBLE ADAPTER FOR UNIVERSAL PROBE (4 PIN FISCHER) TO RECHII RA SCANNER, (4PIN STEP LEMO) 12.0" LONG.	RAUU12FX	.	.	.
RA-UR/4	ROTARY (RA SCANNER) ADAPTOR: MALE 4 PIN STEP LEMO TO FEMALE 4 PIN FISCHER. 4 INCHES LONG. Includes Certificate of Conformance.	RA-U/4	.	.	.
RA-URFX-12	FLEXIBLE ROTARY PROBE ADAPTOR MALE 4 PIN STEP LEMO TO RECEPTACLE (FEMALE) 4-PIN FISCHER CONNECTOR 12.0" WORKING LENGTH
ABR-BNC/500K-2MHZ	ADAPTOR - 8PIN BURNDY TO BNC, 500KHz-2MHz WITH A CENTER FREQUENCY OF 1MHz Includes Certificate of Conformance.