

71 - 37

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 02/17/2016 Revision date: 02/23/2021 Version: 1.01

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER 1.1. Product name : ZL-37 Product code : Not Available

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture

: Non-Destructive Testing

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET 1.3.

Manufacturer Magnaflux

155 Harlem Ave. Glenview, IL 60025 - USA T: 847-657-5300

EMERGENCY TELEPHONE NUMBER 1.4.

Emergency number

: CHEMTREC 800-424-9300

Distributor

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE 2.1

GHS classification

Eye Dam. 1 Asp. Tox. 1

LABEL ELEMENTS 2.2.

GHS labelling

Signal word (GHS)

Hazard statements (GHS)

Precautionary statements (GHS)

Hazard pictograms (GHS)



- : Danger
 - : Causes serious eye damage. May be fatal if swallowed and enters airways.
 - : Wear eve protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

23 OTHER HAZARDS

No additional information available

UNKNOWN ACUTE TOXICITY (GHS) 2.4.

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE 3.1.

Not applicable

3.2. MIXTURE

Name	Product identifier	%
Distillates, petroleum, hydrotreated heavy naphthenic	(CAS No) 64742-52-5	36.80
Alcohols, C12-15, ethoxylated	(CAS No) 68131-39-5	5.02
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	5.01
Triphenyl phosphate	(CAS No) 115-86-6	2.50
1H-Benz[de]isoquinoline-1,3(2H)-dione, 2-butyl-6-(butylamino)-	(CAS No) 19125-99-6	1.01



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES 4.1.

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
4.2. MOST IMPORTANT SYMPTOMS AN	ND EFFECTS, BOTH ACUTE AND DELAYED
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA 5.1.

Suitable extinguishing media	: Treat for surrounding material.	
Unsuitable extinguishing media	: Do not use water jet.	
5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE		
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon, phosphorus oxides, nitrogen oxides, toxic gases, toxic vapours.	

ADVICE FOR FIREFIGHTERS 5.3.

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
	protection (COD/I).

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES 6.1.

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Scoop up material and place in a disposal container.

: Scoop up material and place in a disposal container.

REFERENCE TO OTHER SECTIONS 6.3.

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLIN	NG
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. CONDITIONS FOR SAFE STORAGE,	INCLUDING ANY INCOMPATIBILITIES
Storage conditions	: Keep out of the reach of children. Keep container tightly closed.
7.3. SPECIFIC END USE(S)	
Not available.	



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Distillates, petroleum, l	ydrotreated heavy naphthenic (64742-52-5)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m³/8h (inhalable fraction)	
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³/8h	
JSA - NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m³/10h (mist)	
USA – NIOSH	NIOSH REL (STEL) (mg/m³)	10 mg/m ³ /15 minutes (mist)	
Alcohols, C12-15, etho	cylated (68131-39-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
Petroleum distillates, h	ydrotreated light (64742-47-8)		
ACGIH	ACGIH RCP-TWA (mg/m ³)	1200 mg/m ³ (143 ppm) (total hydrocarbons; supplier exposure limits)	
OSHA	Not applicable		
Triphenyl phosphate (1	15-86-6)		
ACGIH	ACGIH TWA (mg/m ³)	3 mg/m³	
OSHA	OSHA PEL (TWA) (mg/m ³)	3 mg/m³	
USA - IDLH	US IDLH (mg/m ³)	1000 mg/m ³	
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	3 mg/m ³	
1H-Benz[de]isoquinolir	e-1,3(2H)-dione, 2-butyl-6-(butylamino)- (19125	-99-6)	
ACGIH	ACGIH TWA (mg/m ³)	10 mg/m³ (total dust) 3 mg/m³ (respirable)	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable)	
.2. EXPOSURE CO	NTROLS		
oppropriate engineering co	ontrols : Use ventilation adequat recommended exposure	e to keep exposures (airborne levels of dust, fume, vapor, etc.) below e limits.	
and protection	: Wear suitable gloves.		
ye protection	: Wear approved eye pro and face protection (fac	tection (properly fitted dust- or splash-proof chemical safety goggles) e shield).	
kin and body protection	: Wear suitable protective	e clothing.	
Respiratory protection		: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the	

safe working limits of the selected respirator.

: Maintain levels below Community environmental protection thresholds.

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

Environmental exposure controls Other information

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.	INFORMATION ON BASIC PHYS	SICAL AND CHEMICAL PROPERTIES
Physica	l state	: Liquid
Appeara	ance	: Oily
Colour		: Green
Odour		: Mild
Odour tl	hreshold	: No data available
рН		: Neutral
Melting	point	: No data available
Freezin	g point	: No data available
Boiling p	point	: 235 °C (455°F) ASTM D-87

INFORMATION ON PAGE DUVIDION, AND OUTWICK DEODEDTICO

~ .



ZL-37

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Flash point	: >93 °C (>200 °F)
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 0.96
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	:12.36 - 15.10 @40°C (104°F)
Viscosity, dynamic	: No data available
9.2. OTHER INFORMATION	

VOC content

: 77 g/l

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2. CHEMICAL STABILITY

Stable under normal storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5. INCOMPATIBLE MATERIALS

Strong oxidizers, strong acids, strong alkalis, strong bases.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, phosphorus oxides, nitrogen oxides, toxic gases, toxic vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity

: Not classified.

ZL-37		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat	> 20 mg/l/4h	
Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)		
LD50 oral rat	> 5000 mg/kg	
Alcohols, C12-15, ethoxylated (68131-39-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Petroleum distillates, hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat	> 5000 mg/m³/4h	



ZL-37

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Triphenyl phosphate (115-86-6)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY Ecology - general

: May cause long-term adverse effects in the aquatic environment.

12.2. PERSISTENCE AND DEGRADABILITY

ZL-37		
Persistence and degradability	Not established.	
12.3. BIOACCUMULATIVE POTENTIAL	3. BIOACCUMULATIVE POTENTIAL	
ZL-37		
Bioaccumulative potential	Not established.	
12.4. MOBILITY IN SOIL		
No additional information available		
12.5. OTHER ADVERSE EFFECTS		
Effect on the global warming	: No known ecological damage caused by this product.	

SECTION 13: DISPOSAL CONSIDER ATIONS

13.1. WASTE TREATMENT METHODS

- Waste disposal recommendations
- : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG	
DOT Ground	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

ADDITIONAL INFORMATION

Other information

- : No supplementary information available.
- Special transport precautions
- : Do not handle until all safety precautions have been read and understood.



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 15: REGULATORY INFORMATION

15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

NFPA health hazard	:	2
NFPA fire hazard	:	1
NFPA reactivity	:	0



15.2. US STATE REGULATIONS

ZL-37	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects of other reproductive harm.
SECTION 16: OTHER INFO	RMATION
Date of issue	: 02/17/2016
Revision date	: 02/23/2021
Other information	: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.