



7952 Nieman Road, Lenexa, KS 66214-1560 USA
Phone: 913-685-0675, Fax: 913-685-1125
www.ndtsupply.com, sales@ndtsupply.com

New



SD card

3.0"

TFT Screen



Weather Proof

5.5mm

Camera Diameter



Recording



Color



Night Vision



Pocket Size

PocketScope Endoscope Camera

Model No. TV90Pro


The PocketScope is a real pocket-size endoscope camera with its 1m camera tube wound inside the back part of the product. Featured with 5.5mm semi-flexible tube, HD 720P resolution, SD card recording, etc; It's a great tool for inspecting hard to reach areas.

720P





7952 Nieman Road, Lenexa, KS 66214-1560 USA
Phone: 913-685-0675, Fax: 913-685-1125
www.ndtsupply.com, sales@ndtsupply.com



***Comes with hook, mirror and magnet
(Metal Robust Version)***



PocketScope Endoscope Camera

Unique Design

This is the **world's first** endoscope camera that allows you to wind the camera tube inside the back part of the product. A big plastic tool case is not needed anymore, it saves a lot of space and weight in your daily work.

Besides, the bi-color injection molding makes this product **neat, compact and drop resistant**.



720P HD Camera

The 5.5mm 720P HD camera (together with the 2*times zoom) allows you to see even the most tiny things clearly.





7952 Nieman Road, Lenexa, KS 66214-1560 USA
Phone: 913-685-0675, Fax: 913-685-1125
www.ndtsupply.com, sales@ndtsupply.com

Features

- ◆ Real Pocket Size endoscope with camera tube winded inside the back part of the product
- ◆ HD 720P resolution
- ◆ 5.5mm semi- flexible camera tube
- ◆ 6 white leds
- ◆ 3" LCD display
- ◆ Support MicroSd card for still images capture and video recording
- ◆ Comes with a flashlight
- ◆ Handheld and durable design
- ◆ Small accessories - Hook, mirror and magnet

Specifications

Items	Specifications	Items	Specifications
Snake Tube Camera		Video input/Output	
Camera Lens	SCMOS		1280*720
Resolution	1280*720	Image/Video Resolution	1280*720
Viewing Angle	65°	Signal Format	Digital
Focal Distance	4CM	Image Format	.JPG
Depth of Field(DOF)	0.7CM-30CM	Video Format	.AVI
Light Source	6LEDs	Internal memory	Micro SD card
LED Light Irradiation Distance	30CM	Flashlight	
Camera Outer Diameter	5.5MM	Power Output	0.5W
Length of Metal Camera Part	3CM	Power Supply	
Video Output	/	Working Voltage	6V
Working Current	95MA	Working Current	380MA
Working Voltage	3.5V-5V	Internal Dry Battery	4AA
Working Temperature	-10°~60°	Work Time	
TFT Display		Continuous working time	> 3Hours(Typical)
Size(Active area)	3inch	Product Dimension	
Resolution	640*480	L*W*H (mm)	160mm x 85mm x 35mm
Luminance for LCM	400	Product Weight	
Image Zoom	1-3times(1.0X, 1.5X, 2.0X)	Unit (g)	289g
Image flip	180°flip	Package Dimension	
Brightness Control	/	L*W*H (mm)	180mm x 120mm x 40mm
Video		Package Weight	
		Unit (g)	473g

PocketScope Endoscope Camera

Support MicroSD card



Micro SD Card for taking images or video recording

Parts for a kit



1x
Main Body



1x
Hook, mirror and magnet



1x
User Manual



1x
EVA storage box