


90deg Tip - Absolute with plastic handle coding:



Standard

ETHer NDE Part No.	Centre Frequency	Tip Length (Total Length)	ØTip
Probe, Shielded, Plastic Handle, Right angled 90deg Tip:			
PS200PR050-114N	200kHz	5.0 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	4.45
PS200PR027-114F	200kHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30 (Fine)
PS500PR050-114N	500kHz	5.0 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	4.45
PS500PR027-114F	500kHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30 (Fine)
PS002PR027-114N	2MHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30
PS002PR017-114F	2MHz	1.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	2.34 (Fine)
PS006PR017-114N	6MHz	1.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	2.34
Please see matrix below for other options, specials available on request.			

Other

90deg Tip Probe Example: **PS200PR050-114N**

PS	Centre Frequency	Handle	Tip Type	Tip Length (mm) - Total Length (mm)	Tip Diameter (mm)
	200	P	R	050-114	N
	200 = 200kHz	Plastic	Right	050-114 = Tip Length 5mm - Total Length 114mm (4.5")	N = Normal (200kHz = Dia 4.45mm)
	500 = 500kHz		angled	050-127 = Tip Length 5mm - Total Length 127mm (5.0")	N = Normal (500kHz = Dia 4.45mm)
			90deg	050-152 = Tip Length 5mm - Total Length 152mm (6.0")	
			Tip	050-203 = Tip Length 5mm - Total Length 203mm (8.0")	
				050-254 = Tip Length 5mm - Total Length 254mm (10.0")	
				050-305 = Tip Length 5mm - Total Length 305mm (12.0")	
				064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")	
				064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")	
				064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")	
				064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")	
				064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")	
				064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")	
				127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")	
				127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")	
				127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")	
				127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")	
				127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")	
				127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")	
				190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")	
				190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")	

Centre Frequency	Handle	Tip Type	Tip Length (mm) - Total Length (mm)	Tip Diameter (mm)
200 = 200kHz	Plastic	Right	190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")	N = Normal (200kHz = Dia 4.45mm)
		angled	190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")	
		90deg	190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")	
		Tip	190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")	
			245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")	
			254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")	
			254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")	
			254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")	
			254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")	
			254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")	
500 = 500kHz	Plastic	Right	027-114 = Tip Length 2.7mm - Total Length 114mm (4.5")	F = Fine (200k = Dia 3.30mm)
		angled	027-127 = Tip Length 2.7mm - Total Length 127mm (5.0")	
		90deg	027-152 = Tip Length 2.7mm - Total Length 152mm (6.0")	
		Tip	027-203 = Tip Length 2.7mm - Total Length 203mm (8.0")	
			027-254 = Tip Length 2.7mm - Total Length 254mm (10.0")	
			027-305 = Tip Length 2.7mm - Total Length 305mm (12.0")	
			064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")	
			064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")	
			064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")	
			064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")	
	064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")			
	064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")			
	127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")			
	127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")			
	127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")			
	127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")			
	127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")			
	127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")			
	190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")			
	190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")			
	190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")			
	190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")			
	190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")			
	190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")			
	245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")			
	254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")			
	254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")			
	254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")			
	254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")			
	254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")			
002 = 2MHz	Plastic	Right	027-114 = Tip Length 2.7mm - Total Length 114mm (4.5")	F = Fine (2MHz = Dia 2.34mm)
		angled	027-127 = Tip Length 2.7mm - Total Length 127mm (5.0")	
		90deg	027-152 = Tip Length 2.7mm - Total Length 152mm (6.0")	
		Tip	027-203 = Tip Length 2.7mm - Total Length 203mm (8.0")	
			027-254 = Tip Length 2.7mm - Total Length 254mm (10.0")	
006 = 6MHz	Plastic	Right	027-114 = Tip Length 2.7mm - Total Length 114mm (4.5")	N = Normal (6MHz = Dia 2.34mm)
		angled	027-127 = Tip Length 2.7mm - Total Length 127mm (5.0")	
		90deg	027-152 = Tip Length 2.7mm - Total Length 152mm (6.0")	
		Tip	027-203 = Tip Length 2.7mm - Total Length 203mm (8.0")	
			027-254 = Tip Length 2.7mm - Total Length 254mm (10.0")	
	027-305 = Tip Length 2.7mm - Total Length 305mm (12.0")			

002 = 2MHz	Plastic	Right	064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")	F = Fine (2MHz = Dia 2.34mm)
006 = 6MHz		angled	064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")	N = Normal (6MHz = Dia 2.34mm)
		90deg	064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")	
		Tip	064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")	
			064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")	
			064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")	
<hr/>				
			127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")	
			127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")	
			127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")	
			127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")	
			127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")	
			127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")	
<hr/>				
			190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")	
			190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")	
			190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")	
			190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")	
			190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")	
			190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")	
<hr/>				
			245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")	
			254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")	
			254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")	
			254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")	
			254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")	
			254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")	


Other variants available on request.

Leads to fit above probes:

ETHer NDE Part No.	Description	Instrument	Connector Instrument End	Connector Probe End	Cable Length	Configuration
ALLCX-M02-015A	Lead	WeldCheck/ AeroCheck/ Vantage/ETi	Lemo Coaxial	Micro Plug	1.5m	Absolute
ALL12-M02-015A	Lead	WeldCheck/ AeroCheck/ Vantage/ETi/Hocking	Lemo 12-Way	Micro Plug	1.5m	Absolute
ALL07-M02-015A	Lead	Hocking	Lemo 7-Way	Micro Plug	1.5m	Absolute
ALB02-M02-015A	Lead	Various	BNC Plug	Micro Plug	1.5m	Absolute

90deg Tip - Bridge (IB Tech Inside) with plastic handle coding:

Standard



ETher NDE Part No.	Centre Frequency	Tip Length (Total Length)	ØTip
Probe, Shielded, Plastic Handle, Right angled 90deg Tip:			
PS200PR050-114NB	200kHz	5.0 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	4.45
PS200PR027-114FB	200kHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30 (Fine)
PS500PR050-114NB	500kHz	5.0 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	4.45
PS500PR027-114FB	500kHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30 (Fine)
PS002PR027-114NB	2MHz	2.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	3.30
PS002PR017-114FB	2MHz	1.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	2.34 (Fine)
PS006PR017-114NB	6MHz	1.7 (MIN) Tip Length (Total Length 114mm, 4.5") (90deg Tip Shank)	2.34

Please see matrix below for other options, specials available on request.

Other

90deg Tip Probe Example: **PS200PR050-114NB**

PS	Centre Frequency	Handle	Tip Type	Tip Length (mm) - Total Length (mm)	Tip Diameter (mm)
PS	200	P	R	050-114	NB
	200 = 200kHz	Plastic	Right	050-114 = Tip Length 5mm - Total Length 114mm (4.5")	NB = Normal (200kHz = Dia 4.45mm)
	500 = 500kHz		angled	050-127 = Tip Length 5mm - Total Length 127mm (5.0")	NB = Normal (500kHz = Dia 4.45mm)
			90deg	050-152 = Tip Length 5mm - Total Length 152mm (6.0")	
			Tip	050-203 = Tip Length 5mm - Total Length 203mm (8.0")	
				050-254 = Tip Length 5mm - Total Length 254mm (10.0")	
				050-305 = Tip Length 5mm - Total Length 305mm (12.0")	
				064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")	
				064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")	
				064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")	
				064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")	
				064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")	
				064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")	
				127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")	
				127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")	
				127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")	
				127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")	
				127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")	
				127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")	
				190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")	
				190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")	

Centre Frequency	Handle	Tip Type	Tip Length (mm) - Total Length (mm)	Tip Diameter (mm)			
200 = 200kHz 500 = 500kHz	Plastic	Right	190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")	NB = Normal (200kHz = Dia 4.45mm) NB = Normal (500kHz = Dia 4.45mm)			
		angled	190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")				
		90deg	190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")				
		Tip	190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")				
			245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")				
			254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")				
			254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")				
			254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")				
			254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")				
			254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")				
		200 = 200kHz 500 = 500kHz 002 = 2MHz	Plastic		Right	027-114 = Tip Length 2.7mm - Total Length 114mm (4.5")	FB = Fine (200k = Dia 3.30mm) FB = Fine (500kHz = Dia 3.30mm) NB = Normal (2MHz = Dia 3.30mm)
					angled	027-127 = Tip Length 2.7mm - Total Length 127mm (5.0")	
					90deg	027-152 = Tip Length 2.7mm - Total Length 152mm (6.0")	
					Tip	027-203 = Tip Length 2.7mm - Total Length 203mm (8.0")	
	027-254 = Tip Length 2.7mm - Total Length 254mm (10.0")						
	027-305 = Tip Length 2.7mm - Total Length 305mm (12.0")						
	064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")						
	064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")						
	064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")						
	064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")						
	064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")						
	064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")						
	127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")						
	127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")						
	127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")						
	127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")						
	127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")						
	127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")						
	190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")						
	190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")						
	190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")						
	190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")						
	190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")						
	190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")						
	245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")						
	254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")						
	254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")						
	254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")						
	254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")						
	254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")						
002 = 2MHz 006 = 6MHz	Plastic	Right	027-114 = Tip Length 2.7mm - Total Length 114mm (4.5")	FB = Fine (2MHz = Dia 2.34mm) NB = Normal (6MHz = Dia 2.34mm)			
		angled	027-127 = Tip Length 2.7mm - Total Length 127mm (5.0")				
		90deg	027-152 = Tip Length 2.7mm - Total Length 152mm (6.0")				
		Tip	027-203 = Tip Length 2.7mm - Total Length 203mm (8.0")				
			027-254 = Tip Length 2.7mm - Total Length 254mm (10.0")				
			027-305 = Tip Length 2.7mm - Total Length 305mm (12.0")				

002 = 2MHz	Plastic	Right	064-114 = Tip Length 6.4mm - Total Length 114mm (4.5")	FB = Fine (2MHz = Dia 2.34mm)
006 = 6MHz		angled	064-127 = Tip Length 6.4mm - Total Length 127mm (5.0")	NB = Normal (6MHz = Dia 2.34mm)
		90deg	064-152 = Tip Length 6.4mm - Total Length 152mm (6.0")	
		Tip	064-203 = Tip Length 6.4mm - Total Length 203mm (8.0")	
			064-254 = Tip Length 6.4mm - Total Length 254mm (10.0")	
			064-305 = Tip Length 6.4mm - Total Length 305mm (12.0")	
<hr/>				
			127-114 = Tip Length 12.7mm - Total Length 114mm (4.5")	
			127-127 = Tip Length 12.7mm - Total Length 127mm (5.0")	
			127-152 = Tip Length 12.7mm - Total Length 152mm (6.0")	
			127-203 = Tip Length 12.7mm - Total Length 203mm (8.0")	
			127-254 = Tip Length 12.7mm - Total Length 254mm (10.0")	
			127-305 = Tip Length 12.7mm - Total Length 305mm (12.0")	
<hr/>				
			190-114 = Tip Length 19.0mm - Total Length 114mm (4.5")	
			190-127 = Tip Length 19.0mm - Total Length 127mm (5.0")	
			190-152 = Tip Length 19.0mm - Total Length 152mm (6.0")	
			190-203 = Tip Length 19.0mm - Total Length 203mm (8.0")	
			190-254 = Tip Length 19.0mm - Total Length 254mm (10.0")	
			190-305 = Tip Length 19.0mm - Total Length 305mm (12.0")	
<hr/>				
			245-114 = Tip Length 25.4mm - Total Length 114mm (4.5")	
			254-127 = Tip Length 25.4mm - Total Length 127mm (5.0")	
			254-152 = Tip Length 25.4mm - Total Length 152mm (6.0")	
			254-203 = Tip Length 25.4mm - Total Length 203mm (8.0")	
			254-254 = Tip Length 25.4mm - Total Length 254mm (10.0")	
			254-305 = Tip Length 25.4mm - Total Length 305mm (12.0")	

Other variants available on request.

Leads to fit above probes:

ETHer NDE Part No.	Description	Instrument	Connector Instrument End	Connector Probe End	Cable Length	Configuration
ALFTRI-L04-015	Lead	Victor/Veritor	Fischer Triax	Lemo 4-Way Plug	1.5m	Bridge
ALL12-L04-015B	Lead	WeldCheck/ AeroCheck/ Vantage/ETi/Hocking	Lemo 12-Way	Lemo 4-Way Plug	1.5m	Bridge
ALL07-L04-015B	Lead	Hocking	Lemo 7-Way	Lemo 4-Way Plug	1.5m	Bridge