

SECTION 1: IDENTIFICATION
1.1. PRODUCT IDENTIFIER

Product name : Carrier II
 Product code : Not available

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture : Non-Destructive Testing

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET
Manufacturer

Magnaflux
 155 Harlem Ave.
 Glenview, IL 60025 - USA
 T: 847-657-5300

Distributor

NDT Supply.com, Inc.
 7952 Nieman Road
 Lenexa, KS 66214-1560 USA

Phone: 913-685-0675, Fax: 913-685-1125
 e-mail: sales@ndtsupply.com, www.ndtsupply.com


1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION
2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE
GHS classification

Asp. Tox. 1

2.2. LABEL ELEMENTS
GHS labelling

Hazard pictograms (GHS) :



GHS08

Signal word (GHS) : Danger
 Hazard statements (GHS) : May be fatal if swallowed and enters airways.
 Precautionary statements (GHS) : If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. OTHER HAZARDS

No additional information available

2.4. UNKNOWN ACUTE TOXICITY (GHS)

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1. SUBSTANCE

Not applicable

3.2. MIXTURE

| Name | Product identifier | % |
|---|---------------------|-------|
| Petroleum distillates, hydrotreated light | (CAS No) 64742-47-8 | 99.94 |

SECTION 4: FIRST AID MEASURES
4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
 First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.
 First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
 First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Symptoms/injuries after inhalation : May cause respiratory tract irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. May cause stomach distress, nausea or vomiting. This product may be aspirated into the lungs and cause chemical pneumonitis.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIREFIGHTING MEASURES
5.1. EXTINGUISHING MEDIA

- Suitable extinguishing media : Water fog, carbon dioxide (CO₂), dry chemical powder, foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. ADVICE FOR FIREFIGHTERS

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). If water is used, fog nozzles are preferred. Oil will float on water and can spread the fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES
6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

- For containment : Stop spill at source and dike the area. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation. Spills of this material are a slipping hazard.

6.3. REFERENCE TO OTHER SECTIONS

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: HANDLING AND STORAGE
7.1. PRECAUTIONS FOR SAFE HANDLING

- Precautions for safe handling : Take precautionary measures against static discharge. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Do not store in unlabelled containers. Store in a cool, well ventilated area.

7.3. SPECIFIC END USE(S)

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1. CONTROL PARAMETERS

| Petroleum distillates, hydrotreated light (64742-47-8) | | |
|--|----------------|---|
| Supplier exposure limits | RCP-TWA | 1200 mg/m ³ (143 ppm) (vapor - total hydrocarbons) |
| OSHA | Not applicable | |

8.2. EXPOSURE CONTROLS

- Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

| | |
|---------------------------------|--|
| Hand protection | : Wear oil resistant gloves. |
| Eye protection | : Safety glasses or goggles are recommended when using product. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Environmental exposure controls | : Maintain levels below Community environmental protection thresholds. |
| Other information | : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|------------------------|
| Physical state | : Liquid |
| Appearance | : Oily |
| Colour | : Pale yellow |
| Odour | : Mild petroleum odour |
| Odour threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : >230 °C (>446 °F) |
| Flash point | : >93.3 °C (>200 °F) |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability (solid, gas) | : Not flammable |
| Explosive limits | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Vapour pressure | : No data available |
| Relative density | : 0.79 - 0.83 |
| Relative vapour density at 20 °C | : No data available |
| Solubility | : Negligible |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : 2.2 - 2.9 cSt |
| Viscosity, dynamic | : No data available |

9.2. OTHER INFORMATION

| | |
|-------------|-----------|
| VOC content | : 234 g/l |
|-------------|-----------|

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2. CHEMICAL STABILITY

Stable under normal storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4. CONDITIONS TO AVOID

Heat. Incompatible materials. Sources of ignition.

10.5. INCOMPATIBLE MATERIALS

Strong oxidizers.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity : Not classified.

| Carrier II | |
|---------------------|---|
| LD50 oral rat | > 5000 mg/kg (Calculated Acute Toxicity Estimate) |
| LD50 dermal rabbit | > 5000 mg/kg (Calculated Acute Toxicity Estimate) |
| LC50 inhalation rat | > 5000 mg/m ³ /4h (vapor) (Calculated Acute Toxicity Estimate) |

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|--|--------------------------------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LC50 inhalation rat | > 5000 mg/m ³ /4h (vapor) |

- Skin corrosion/irritation : Based on available data, the classification criteria are not met.
- Serious eye damage/irritation : Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.
- Germ cell mutagenicity : Based on available data, the classification criteria are not met.
- Carcinogenicity : Based on available data, the classification criteria are not met.
- Reproductive toxicity : Based on available data, the classification criteria are not met.
- Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.
- Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.
- Aspiration hazard : May be fatal if swallowed and enters airways.
- Symptoms/injuries after inhalation : May cause respiratory tract irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. May cause stomach distress, nausea or vomiting. This product may be aspirated into the lungs and cause chemical pneumonitis.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. PERSISTENCE AND DEGRADABILITY

| Carrier II | |
|-------------------------------|--|
| Persistence and degradability | This material is expected to be readily biodegradable. |

12.3. BIOACCUMULATIVE POTENTIAL

| Carrier II | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

12.4. MOBILITY IN SOIL

No additional information available

12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known effects from this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG

- DOT (bulk) : Not regulated for transport
- DOT (non-bulk) : Not regulated for transport
- TDG : Not regulated for transport
- IATA : Not regulated for transport
- IMDG : Not regulated for transport

Not regulated for transport

ADDITIONAL INFORMATION

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.


SECTION 15: REGULATORY INFORMATION

15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

- NFPA health hazard : 1
- NFPA fire hazard : 1
- NFPA reactivity : 0



15.2. US STATE REGULATIONS

Carrier II

| | |
|----------------------------|--|
| State or local regulations | This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. |
|----------------------------|--|

SECTION 16: OTHER INFORMATION

- Date of issue : 07/15/2016
- Revision date : 07/15/2016
- Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.