

Mi-Glow® 920 is fluorescent

yellow-green particles used with

CircleSol M™, a refined

petroleum distillate. It is

designed to be used with UV-A light to detect forging

type discontinuities. It meets or exceeds AMS 3044

and all applicable industry

specifications.



# Mi-Glow® 920

## **Physical Characteristics**

Green powder, odorless.

## **Particle Certification**

Particles meet or exceed all relevant industry specifications, including but not limited to ASTM E 1444, AMS 3044, MIL-STD-271, NAVSEA 250-1500-1, NTR-1E. Certification is included with each shipment.

#### **Particle Color**

Fluorescent Yellow-Green

#### **Average Particle Size**

12 µm

#### **AMS Standard**

3044

#### SAE Sensitivity\*

8

[\*Representative of the number of lines shown on a tool steel ring as defined in SAE AS5282.]

# **Temperature Range**

32-120°F (0-49°C)

### **Related Product Information:**

Safety Data Sheet Technical Bulletin 213

Item #

**Package Size** 

FG-3162

2 pounds/jar

NDT Supply.com, Inc. 7952 Nieman Road Lenexa, KS 66214-1560 USA

Phone: 913-685-0675, Fax: 913-685-1125

e-mail: sales@ndtsupply.com, www.ndtsupply.com

