MATERIAL SAFETY DATA SHEET Magnetic Inspection Powder - PARKER GP5 GRAY

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

	CIRCLE SYSTEMS, INC.		
	479 W. Lincoln, P.O. Box 1228 Hinckley, IL 60520 815-286-3271 / After Hours EMERGENCY RESPONSE: Chem-tel 800-255-3924 Contract# MIS0001649		
	 TRADE NAME: SIRCHEM[®] DRY POWDER 61 GRAY (PARKER GP5 GRAY) FORMULA: A mixture of iron powder and pigments HMIS Rating: Health 1, Flammability 0, Reactivity 0 		
2.	COMPOSITION, INFORMATION ON INGREDIENTS:		
	MATERIAL C.A.S. # % TLV		
	Iron Powder 7439-89-6	>90 10 mg/m ³	
3.	HAZARDS IDENTIFICATION:		
	THRESHOLD LIMIT VALUE: 10 mg/m ³ for dust		
	EFFECTS OF OVEREXPOSURE: Slightly dusty material may cause eye, skin, and mucus irritation		
4.	FIRST AID MEASURES:		
	EYES: Flush with copious amounts of wate SKIN: Flush with water	er INHALATION: Remove subject to fresh air INGESTION: Do not induce vomiting. Drink large amounts of water.	
	SEEK MEDICAL ATTENTION IN ALL CA		
5.	FIRE FIGHTING MEASURES:		
	FLASH POINT (METHOD USED): n.a.		
	FLAMMABLE LIMITS: n.a.		
	EXTINGUISHING MEDIA: Graphite, Sodium Chloride		
	SPECIAL FIRE FIGHTING PROCEDURES: Fog nozzle and fine spray to prevent dusting UNUSUAL FIRE AND EXPLOSION HAZARDS: Fine dry dust exceeding minimum explosive concentration can explode in presence of		
	ignition.		
6.	ACCIDENTAL RELEASE MEASURES:		
	Vacuum or carefully sweep up material into container and dispose of according to federal, state, and local regulations.		
7.	HANDLING AND STORAGE:		
	Keep material clean and dry until ready to use. Severe dusting in enclosed area may explode from ignition source.		
	OTHER PRECAUTIONS: Dust-tight wiring, fixtures, etc. recommended. Physical properties may deteriorate if stored in conditions of excessive moisture.		
8.	EXPOSURE CONTROLS, PERSONAL PROTECTION:		
	VENTILATION REQUIREMENTS: Local exhaust if OSHA limits are exceeded		
	SPECIFIC PERSONAL PROTECTIVE EQUIPMENT:		
	EYE: Safety glasses or goggles GLOVES: Recommended	RESPIRATORY: Recommended - Powder or dust mask if OSHA limits are exceeded OTHER CLOTHING & EQUIPMENT: n.a.	
9.	PHYSICAL AND CHEMICAL PROPERTIES:		
	BOILING POINT: n.a.	SPECIFIC GRAVITY ($H_2O=1$): 2.5	
	VAPOR PRESSURE: n.a.	% VOLATILE BY VOLUME: n.a.	
	VAPOR DENSITY (AIR=1): n.a.	EVAPORATION RATE (ETHER=1): n.a.	
	SOLUBILITY IN WATER: Negligible	APPEARANCE & ODOR: Gray powder, odorless	
10.	STABILITY AND REACTIVITY		
	STABILITY Stable	HAZARDOUS DECOMPOSITION PRODUCTS: n 3	

STABILITY: Stable INCOMPATIBILITY: Strong oxidizers

1.

HAZARDOUS DECOMPOSITION PRODUCTS: n.a. HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION:

TLV (Threshold Limit Value): 10 mg/m³ for dust CARCINOGENICITY: Contains no known suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH

12. ECOLOGICAL INFORMATION:

No available data.

13. DISPOSAL CONSIDERATIONS:

Vacuum material up and return to container. Dispose of according to federal, state, and local regulations.

14. TRANSPORT INFORMATION:

D.O.T. SHIPPING NAME: Not Regulated. D.O.T. Hazard Class: None U.N./N.A. Number: None Canadian Labels: Not Applicable

15. REGULATORY INFORMATION:

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory. CERCLA (Comprehensive Response Compensation, and Liability Act): NOT Reportable. SARA TITLE III (Superfund Amendments and Reauthorization Act), SECTION 313 (Reportable Ingredients): No reportable ingredients. CALIFORNIA PROPOSITION 65: Contains nothing on this list.

16. OTHER INFORMATION:

PREPARED BY: Deborah A. Shreve TITLE: Vice President/Director of Quality Control ISSUE DATE: January 15, 2013 SUPERSEDES DATE: January 11, 20112

DISCLAIMER: OUR TECHNICAL ADVICE, INFORMATION & STATEMENTS - GIVEN VERBALLY, IN WRITING OR IN THE FORM OF TEST RESULTS - IS OFFERED FOR YOUR GUIDANCE WITHOUT WARRANTY. **NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE**. IT IS THE USER'S RESPONSIBILITY TO TEST THE SUITABILITY OF EACH PRODUCT FOR HIS INTENDED PROCESS AND APPLICATIONS. OUR GUARANTEE IS LIMITED TO THE CONSISTENT QUALITY OF OUR PRODUCTS.

NDT Supply.com, Inc. 7952 Nieman Road Lenexa, KS 66214-1560 USA



Phone: 913-685-0675, Fax: 913-685-1125 e-mail: sales@ndtsupply.com, www.ndtsupply.com